

## Table of Contents for CHS 2015 Public Use Codebook

HEALTH STATUS	
ACCESS/HEALTH INSURANCE	
CARDIOVASCULAR HEALTH	
DIABETES	8
ASTHMA	
MENTAL HEALTH	10
NUTRITION	13
PHYSICAL ACTIVITY	16
TOBACCO AND SECOND HAND SMOKING	17
DEMOGRAPHICS	22
NEIGHBORHOODS	34
IMMUNIZATIONS	35
CANCER SCREENING	36
HIV TESTING	37
SEXUAL BEHAVIOR	38
ALCOHOL	41
INTIMATE PARTNER VIOLENCE	43
TRAFFIC SAFETY (VISION ZERO)	44
HOUSING, ENVIRONMENT, AND NOISE	46
ADMINISTRATIVE	53

<sup>\*</sup>CHS 2015 Nesting Variable = STRATA

<sup>\*</sup>CHS 2015 Survey Weight = wt16\_dual

Recoded Variable	Question	Raw Name	Source	Frequencies (unw	veighted)	Prior years	NOTES
generalhealth	Would you say in general	health1	Q1.1	1=Excellent	1,599	2002-2015: generalhealth	
	that your health is:			2=Very good	2,693	_	
	excellent, very good			3=Good	3,284		
				4=Fair	1,787		
				5=Poor	741		
				.d=Don't know	63		
				.r= Refused	5		

Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
insuredgateway15	Do you have any kind of health insurance coverage, including private health insurance, prepaid plans such as H-M-Os, or government plans such as Medicare or Medicaid?	access41	Q2.1; access42	1=Yes 2=No .d=Don't know .r=Refused	9,189 942 31 10	2002: 2003 spg: healthcover 2003 fall: healthcover 2004-06: insuredgateway 2007: insuredgateway07 2008: insuredgateway08 2009: insuredgateway09 2010: insuredgateway10 2011: insuredgateway11 2012: insuredgateway12 2013: insuredgateway13 2014: insuredgateway14	Question wording has changed over time
insure15	What type of health insurance do you use to pay for your doctor or hospital bills? Is it insurance through	access42	Q2.2; access41	1=Employer 2=Self-purchase 3=Medicare 4=Medicaid/Family Health+ 5=Milit/CHAMPUS/Tricare 6=COBRA/Other 7=Uninsured .d=Don't know .r=Refused .=Missing	3,831 582 1,931 2,529 54 146 942 86 30 41	2002: insure02 2003: insure03 2004: insure04 2005: insure05 2006: insure06 2007: insure07 2008: insure08 2009: insure09 2010: insure10 2011: insure11 2012: insure12 2013: insure13 2014: insure14	Question wording and response options for health insurance coverage have changed over time
insured	Any type of health insurance?		insure15	1=Yes 2=No .d=Don't know .r=Refused .=Missing	9,073 942 86 30 41	2002-2014: insured	Based on insure15; question wording and response options changed over time
insure5	Type of health insurance coverage		insure15	1=Private 2=Medicare 3=Medicaid 4=Others 5=Uninsured .d=Don't know .r=Refused .= Missing	4,413 1,931 2,529 200 942 86 30 41	2002-2014: insure5	Variable used on EQ.

Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
pcp15	Do you have one person or more than one person you think of as your personal doctor or health care provider?	access45	Q2.5	1=Yes 2=No .d=Don't know .r=Refused	8,834 1,277 50 11	2002-04: pcp 2005: pcp05 2006: pcp06 2007: pcp07 2008: pcp08 2009: pcp09 2010: 2011: pcp11 2012: pcp12 2013: pcp13 2014: pcp14	Question wording and response options changed over time
visitpcp12m	Have you seen your personal doctor or health care provider in the last 12 months?	access38	Q2.6	1=Yes 2=No .d=Don't know .r=Refused .=missing	7,921 890 22 1 1338	2002-2006: 2007: visitpcp12m 2008: visitpcp12m 2009-2012: 2013: visitpcp12m 2014:	Among those with pcp
sickadvice15	When you are sick or need advice about your health, to which of the following places do you usually go?	access65ab t; access65ot hr_	Q2.7	1= A private doctor 2= Clinic 3= Urgent Care Center 4= Hospital ED 5= Alternative health care provider 6=Family/friend/self/ resources 7= Other 8= No usual place .d=Don't know .r=Refused	6,981 1,673 342 661 61 51 93 237 68 5	2002: 2003: 2004: sickadvice 2005-2010: 2011: sickadvice11 2012: sickadvice12 2013: 2014: sickadvice14	Response options changed over time.
sickplace	When you are sick or need advice about your health, to which of the following places do you usually go?		Q2.7	1=Doctor, clinic, health center 2=ED/Urgent Care 3=Other 4=No usual place .d=Don't know .r=Refused	8,654 1,003 205 237 68 5	2002-10: 2011-2012: sickplace 2013: 2014:sickplace	

Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)	Prior years	NOTES
reasoner	What is the main reason you usually go to the emergency room instead of a doctor's office or clinic?	access61	Q2.7b	1=Can't afford dr's office/don't turn anyone away 2=Don't know where else to go 3=Convenience 4=Best place for condition 5=Prefer ED 6=Don't have regular doctor 7=Other .d= Don't know .r= Refused .=Missing/not asked 9,512		New in 2015  Among those who usually go to a hospital emergency room when they are sick.
didntgetcare15	Was there a time in the past 12 months when you needed medical care but did NOT get it? Medical care includes doctor's visits, tests, procedures, prescription medication and hospitalizations.	access36	Q2.8	1=Yes 936 2=No 9,190 .d=Don't know 43 .r=Refused 3	2002: neededcare 2003:	Question wording and response options changed over time. Question wording for CHS 2006 (didntgetcare06) not directly comparable to other years.
appointmentwait15	The last time you needed care for an illness or injury and called your personal doctor's office or clinic for an appointment, how quickly did they see you?  Among all	access62	Q2.9	1= Same day       3,908         2= Next day       1,186         3= In 2-3 days       1,308         4= Four or more days       1,534         5= Didn't call doctor's office       1,830         .d= Don't know       389         .r= Refused       17         .= Missing/not asked       0	2002-2010: 2011-2012: appointmentwait 2013: 2014: appointmentwait	Among all.  Skip pattern change starting in 2015; not comparable with appointmentwait from 2011-12, 2014

Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
insaccept	When trying to get health care in the past 12 months has any doctor's office or clinic told you they were not accepting your insurance? Among those with insurance	access63	Q2.10	1=Yes 2=No 3=[VOL] Did not seek care .d=Don't know .= Missing/not asked	1,357 7,706 85 41 983	2002-2014:	New in 2015  Among those with insurance
didntfillin	In the last 12 months, was there any time when you did NOT fill a prescription for medicine because of the cost?	access19	Q2.11	1=Yes 2=No .d=Don't know .r=Refused	1,482 8,636 53	2002: 2003: didntfillin 2004-2005: 2006: didntfillin 2007-2014:	
medcost	Other than prescription medicines, in the past 12 months, have you had any difficulty getting medical care because you could not afford the out-of-pocket costs, such as copays or deductibles? Among those with insurance	access64	Q2.12	1=Yes 2=No .d=Don't know .r=Refused .= Missing/not asked	794 8,350 39 6 983	2002-2014:	New in 2015  Among those with insurance
dentalins	Do you have any insurance that pays for some or all of your dental care?	dentist5	Q2.14	1=Yes 2=No .d=Don't know .r=Refused	6,888 2,914 364 6	2002-2014:	New in 2015

CARDIOVASCUL	AR HEALTH						
Recoded Variable	Question	Raw Name	Source	Frequencies (unweigh	nted)	Prior years	NOTES
toldhighbp15	Have you ever been told by a doctor, nurse or other health professional that you have hypertension, also called high blood pressure?	press10	Q3.1	1=Yes 2=No .d=Don't know .r=Refused	3,485 6,644 31 12	2002: toldhighbp02 2003: 2004: 2005: toldhighbp05 2006: toldhighbp06 2007: toldhighbp07 2008: toldhighbp08 2009: toldhighbp09 2010: toldhighbp10 2011: toldhighbp11 2012: toldhighbp12 2013: toldhighbp13 2014: toldhighbp14	Question wording differs from 2002, 2005
toldprescription15	Have you ever been told by a doctor, nurse or other health professional that you need to take medicine for your high blood pressure?	press14	Q3.2; press10	1=Yes 2=No .d=Don't know .r=Refused .=Missing/Not asked	3,142 334 9 0 6,687	2002-2004: 2005: toldprescription 2006: toldprescription 2007: toldprescription07 2008: 2009: toldprescription09 2010: toldprescription10 2011: toldprescription11 2012: toldprescription12 2013: 2014: toldprescription14	Question wording modified over time  Denominator is persons ever told high BP
takingmeds15	Are you currently taking medication for your high blood pressure? AMONG THOSE TOLD HBP AND TOLD TO TAKE MEDS	press8	Q3.3; press14	1=Yes 2=No .d=Don't know .r=Refused .=Missing/Not asked	2,803 337 1 1 7,030	2002-2004: 2005: takingmeds05 2006: takingmeds06 2007: takingmeds07 2008: 2009: takingmeds09 2010: takingmeds10 2011: takingmeds11 2012: takingmeds12 2013: 2014: takingmeds14	Denominator is persons with high BP told they needed meds for high BP.  CHS 08 BP meds question is not comparable to other yrs

DIABETES							
Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted	)	Prior years	NOTES
diabetes15	Have you ever been told	diabet10	Q4.1	1= Yes	1,429	2002-04: diabetes	Women who had
	by a doctor, nurse or other			2= No	8,710	2005:	diabetes only while
	health professional that			.d= Don't know	22	2006: diabetes	pregnant are included in
	you have diabetes?			.r=Refused	11	2007: diabetes07	'no' category
						2008: diabetes08	
						2009: diabetes09	
						2010: diabetes10	
						2011:diabetes11	
						2012:diabetes12	
						2013: diabetes13	
						2014: diabetes14	
insulin	Are you currently taking	diabet15	Q4.2	1= Yes	371	2002-2014:	New in 2015
	insulin? Among those told			2= No	1,049		
	diabetes			.d= Don't know	9		Among those told
				.=Missing/Not asked	8,743		diabetes
takingdiabpill	Are you now taking	diabet12	Q4.3	1= Yes	1,062	2002-2006:	Among those told
	diabetic pills to lower			2= No	353	2007: takingdiabpill	diabetes
	your blood sugar? These			.d= Don't know	14	2008-2014:	
	are sometimes called oral			.r=Refused	0		
	agents or oral			. =Missing/Not asked	8,743		
	hypoglycemic agents.						
	Among those told						
	diabetes						
diabmeds	Take insulin, pills only,		insulin,	1= Insulin only	124	2002-2014:	New in 2015
	both or neither (among		takingdi	2= Diabetic pills only	814		
	those with diabetes)		abpill	3= Both insulin and	242		
	·			diabetic pills			
				4= Neither	227		
				.d= Don't know	1		
				. =Missing/Not asked	8,764		

Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
currentasthma15	In the last 12 months,	asthma17	Q4.4	1= Yes	666	2002-04: not comparable	Question wording
	have you had an			2= No	9,468	2005:	modified over time.
	episode of asthma or an			.d= Don't know	30	2006-14: not comparable	
	asthma attack? Asked			.r= Refused	8		Asked of all adults. Not
	of all adults			. = Missing/Not asked	0		comparable to prior
							years.
asthmameds	Are you currently	asthma18	Q4.5	1= Yes	455	2002-2014:	New in 2015
	taking medication daily			2= No	209		
	to control your asthma,			.d= Don't know	1		Among those with
	including pills, a pump			.r= Refused	1		current asthma
	or an inhaler? Among			. = Missing/Not asked	9,506		
	those with current						
	asthma						

Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
mood1	During the past 30 days, how often did you feel so sad or depressed that nothing could cheer you up?	mood1	Q5.1	1= All of the time 2= Most of the time 3= Some of the time 4= A little of the time 5= None of the time	198 371 1,095 1,942 6,566	2002-03: mood1 2004: 2005-06: mood1 2007: 2008-10: mood1 2011: 2012-13: mood1 2014:	Values of DK/R included in none
mood2	During the past 30 days, how often did you feel nervous?	mood2	Q5.2	1= All of the time 2= Most of the time 3= Some of the time 4= A little of the time 5= None of the time	241 419 1,609 2,820 5,083	2002-03: mood2 2004: 2005-06: mood2 2007: 2008-10: mood2 2011: 2012-13: mood2 2014:	Values of DK/R included in none
mood3	During the past 30 days, how often did you feel restless or fidgety?	mood3	Q5.3	1= All of the time 2= Most of the time 3= Some of the time 4= A little of the time 5= None of the time	283 399 1,510 2,294 5,686	2002-03: mood3 2004: 2005-06: mood3 2007: 2008-10: mood3 2011: 2012-13: mood3 2014:	Values of DK/R included in none
mood4	During the past 30 days, how often did you feel hopeless?	mood4	Q5.4	1= All of the time 2= Most of the time 3= Some of the time 4= A little of the time 5= None of the time	157 245 691 1,310 7,769	2002-03: mood4 2004: 2005-06: mood4 2007: 2008-10: mood4 2011: 2012-13: mood4 2014:	Values of DK/R included in none

Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
mood5	During the past 30 days, how often did you feel that everything was an effort?	mood5	Q5.5	1= All of the time 2= Most of the time 3= Some of the time 4= A little of the time 5= None of the time	684 668 1,527 1,925 5,368	2002-03: mood5 2004: 2005-06: mood5 2007: 2008-10: mood5 2011: 2012-13: mood5 2014:	Values of DK/R included in none
mood6	During the past 30 days, how often did you feel worthless?	mood6	Q5.6	1= All of the time 2= Most of the time 3= Some of the time 4= A little of the time 5= None of the time	133 199 586 974 8,280	2002-03: mood6 2004: 2005-06: mood6 2007: 2008-10: mood6 2011: 2012-13: mood6 2014:	Values of DK/R included in none
nspd	Non-specific psychological distress in the past 30 days		Q5.1- Q5.6	1= Yes 2= No	563 9,609	2002-03: nspd 2004: 2005-06: nspd 2007: 2008-10: nspd 2011: 2012-13: nspd 2014:	CANNOT BE COMPARED WITH NSPD12m
mood24	We just talked about a number of feelings you had during the past 30 days. Altogether, how much did those feelings interfere with your life or activities	mood24	Q5.7	1= A lot 2= Some 3= A little 4= Not at all .d=Don't know .r=Refused .= Not asked	302 125 94 31 11 0 9,609	2002: 2003: mood7 2004-08: 2009:mood24 2010: mood24 2011: 2012-13: mood24 2014:	Among NSPD=1 Skip patterns different in 2003
nspdinterfere15	NSPD interfered with life or activities some or a lot (among NSPD=1)	mood24	Q5.7	1= Yes 2= No .d=Don't know .r=Refused .=Missing/not asked	427 125 11 0 9,609	2002-08: 2009:nspdinterfere09 2010: nspdinterfere10 2011: 2012: nspdinterfere12 2013: nspdinterfere13 2014:	Among NSPD=1

Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
mood53	In the past 12 months, have	mood53	Q5.8	1= Yes	244	2002:	Question
	you taken a prescription			2= No	318	2003: mood9	restriction
	medication for a mental health			.d=Don't know	1	2004-2012 -	differs from
	problem? Among adults with			.r=Refused	0	2013: mood9	2003, 2013-
	NSPD			.=Missing/not asked	9,609	2014: mood9	14
							Among adults with NSPD
mood52	In the past 12 months, have	mood52	Q5.9	1= Yes	231	2002:	Question
	you received any counseling			2= No	330	2003: mood8	restriction
	for a mental health problem?			.d=Don't know	2	2004-2012 -	differs from
	Among adults with NSPD			.r=Refused	0	2013: mood8	2003, 2013-
				.=Missing/not asked	9,609	2014: mood8	14
							Among adults with NSPD
mhtreat15	Received counseling or	mood52,	Q5.9,	1= Yes	282	2002-2008:	Among with
	prescription medication for a	mood53	Q5.8	2= No	281	2009: mhtreat09_all	NSPD
	mental health problem in last			.d=Don't know	0	2010: mhtreat10_all	
	12 months. among adults with			.r=Refused	0	2011:	Question
	NSPD			. = Missing/not asked	9,609	2012: mhtreat12_all	restriction
						2013: mhtreat13_all	differs from
						2014: mhtreat14_all	2003, 2013-
							14"
mood11	Was there a time in the past 12	mood11	Q5.10	1= Yes	340	2002:	Among all
	months when you needed			2= No	9,774	2003: mood11	adults
	treatment for a mental health			.d=Don't know	39	2004: 2005: mood11	
	problem but did not get it?			.r=Refused	19	2005: mood11 2006: mood11	Note: In 2003
						2007-2012:	only asked
						2013: mood11	among those
						2014:	with nspd

Recoded variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
nutrition1	Thinking about nutritionhow many total servings of fruit and/or vegetables did you eat yesterday? A serving would equal one medium apple, a handful of broccoli, or a cup of carrots.	nutrition1	Q9.1	0 – 50 .d= Don't know .r=Refused	9,897 247 28	2002: nutrition1 2003: 2004: nutrition1 2005-07: 2008-14: nutrition1	Continuous
fruitveg	Thinking about nutritionhow many total servings of fruit and/or vegetables did you eat yesterday? A serving would equal one medium apple, a handful of broccoli, or a cup of carrots.	nutrition1	Q9.1	1= None 2= 1-4 servings 3= ≥5 servings .d=Don't know .r=Refused	1,130 7,663 1,104 247 28	2002: fruitveg 2003: 2004: fruitveg 2005-07: 2008-14: fruitveg	Categorical
nsodaperday15	How often do you drink sugar sweetened soda? Do not include diet soda or seltzer. Standardized to per day (continuous)	nutrition14	Q9.3	0 – 20 .d=Don't know .r=Refused . = Missing/outliers	10,090 75 5 2	2002-06: 2007: nsodaperday07 2008: nsodaperday08 2009: nsodaperday09 2010: nsodaperday10 2011: nsodaperday11 2012: nsodaperday12 2013: nsodaperday13 2014: nsodaperday14	Response options in 2005 not directly comparable to '07-'15
avgsodaperday15	Average number of sodas per day		nsodaperd ay15	1= None 2= <1 (more than none) 3= One 4= >1 .d=Don't know .r=Refused . = Missing	6,684 2,303 581 522 75 5	2002-2006: 2007: avgsodaperday07 2008: avgsodaperday08 2009: avgsodaperday09 2010: avgsodaperday10 2011: avgsodaperday11 2012: avgsodaperday12 2013: avgsodaperday13 2014: avgsodaperday14	Response options in 2005 not directly comparable to '07-'15
twoplussoda	Drink two or more sodas per day		nsodaperd ay15	1= \(\geq 2\) sodas 2 = <2 sodas .d=Don't know .r=Refused . = Missing	514 9,576 75 5 2	2002-04: 2005: twoplussoda 2006: 2007-14: twoplussoda	Recommend twoplussoda for comparing '05 v '07-'15

NUTRITION							
Recoded variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
nsugardrinkperday15	How often do you drink other sweetened drinks like sweetened iced tea, sports drinks, fruit punch or other fruit-flavored drinks? Do not include diet soda, sugar free drinks, or 100% juice. Standardized to per day (continuous)	nutrition15	Q9.4	0 – 23 .d=Don't know .r=Refused . = Missing	10,072 91 6 3	2002-2006: 2007: nsugardrinkperday 2008: nsugardrinkperday08 2009: nsugardrinkperday09 2010: nsugardrinkperday10 2011: nsugardrinkperday11 2012: nsugardrinkperday12 2013: nsugardrinkperday13 2014: nsugardrinkperday14	
avgsugarperday15	Average number of other sugar- sweetened beverages per day		nsugardrin kperday15	1= None 2= <1 (more than none) 3= One 4= >1 .d=Don't know .r=Refused . = Missing	6,343 2,308 743 678 91 6	2002-2006: 2007: avgsugarperday07 2008: avgsugarperday08 2009: avgsugarperday09 2010: avgsugarperday10 2011: avgsugarperday11 2012: avgsugarperday12 2013: avgsugarperday13 2014: avgsugarperday14	Response options in 2005 not directly comparable to '07-'15
nsodasugarperday15	Number of soda and other sugar sweetened beverages consumed. Standardized to per day (continuous)		nsodaperd ay15, nsugardrin kperday15	0 – 20 .d=Don't know .r=Refused . = Missing	10,061 18 0 93	2002-2006: 2007: nsugardrinkperday 2008: nsugardrinkperday08 2009: nsugardrinkperday09 2010: nsugardrinkperday10 2011: nsugardrinkperday11 2012: nsugardrinkperday12 2013: nsugardrinkperday13 2014: nsugardrinkperday14	

Recoded variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
avgsodasugarperday15	Average number of sodas plus sweetened drinks per day (categorical)		nsodasugar drinkperda y15	1= None 2= <1 (more than none) 3= One 4= >1 .d=Don't know .r=Refused . = Missing	5,037 2,865 584 1,575 18 0 93	2002-2006: 2007: avgsodasugarperday07 2008: avgsodasugarperday08 2009: avgsodasugarperday09 2010: avgsodasugarperday10 2011: avgsodasugarperday11 2012: avgsodasugarperday12 2013: avgsodasugarperday13 2014: avgsodasugarperday14	Response options in 2005 not directly comparable to '07-'15
ssb	Consumes one or more sugar sweetened beverages (soda + other sweetened drinks) on average per day		nsodasugar drinkperda y15	1=Yes 2=No .d=Don't know .r=Refused . = Missing	2,159 7,902 18 0 93	2002-2006: 2007-2014: ssb	

Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
exercise15	During the past 30 days, other than	activity1	Q10.1	1= Yes	7,595	2002-04: exercise	
	your regular job, did you participate	-		2= No	2,565	2005: exercise05	
	in any physical activities or			.d= Don't know	7	2006-07:	
	exercises such as running,			.r= Refused	5	2008: exercise	
	calisthenics, golf, gardening, or					2009: exercise09	
	walking for exercise?					2010: exercise10	
						2011: exercise11	
						2012: exercise12	
						2013: exercise13	
						2014: exercise14	

Recoded Variable	Question	Raw Name	Source	Frequencies (unweig	(hted)	Prior years	NOTES
smoker	Have you smoked at least 100 cigarettes in your entire life? Do you now smoke cigarettes: everyday, some days, or not at all?		Q7.1; Q7.2	1= Never 2= Current 3= Former .d= Don't know .r= Refused	6,653 1,324 2,131 53 11	2002-2014: smoker	
everyday	Smoke every day vs some days		Q7.2	1= Yes, every day 2= No, some days .d= Don't know .r= Refused .= Missing/Not asked	812 512 2 0 8,846	2002-2014: everyday	Denominator is persons who currently smoke
numberperdaya	# cigs smoked/day every & someday smokers, continuous (imputed for missing & adjusted for days smoked)	smoke3, smoke72	Q7.3, Q7.3a	0 – 200 . = Missing/Not asked	1,324 8,848	2002: numberperdaya 2003: numberperdaya 2003 fall: numberperdaya 2004: numberperdaya 2005: 2006: numberperdaya 2007: 2008: numberperdaya 2009: numberperdaya 2010: numberperdaya 2011: numberperdaya 2012: numberperdaya 2013: numberperdaya 2014: numberperdaya	numberperdaya imputes for missing values of smoke3 and smoke72 and adjusts for days smoked. Weighted mean # of days smoked from CHS 2014 was used to calculate days smoked for some day smokers. Numberperdaya sums to total every and some day smokers.  Question wording and response options changed over time

TOBACCO AND SI	ECOND HAND SMOKING			(Fall '03 variable	es reported sir	nce fall '03 must be combined w/ CH	S 2003 for smoking analyses)
Recoded Variable	Question	Raw Name	Source	Frequencies (unweigh	ited)	Prior years	NOTES
cpd15a	# cigs smoked/day every & someday smokers, categorical (imputed for missing & adjusted for days smoked)		numberperdaya	1= <10 cigs 2= 10 - <21 cigs 3= 21+ cigs . = Missing/Not asked	808 484 32 8,848	2002: cpd02a 2003: cpd03a 2003 fall: cpd03a 2004: cpd04a 2005: 2006: cpd06a 2007: 2008: cpd08a 2009: cpd09a 2010: cpd10a 2011: cpd11a 2012: cpd12a 2013: cpd13a 2014: cpd14a	cpd15a is categorical version of numberperdaya. See above for description.  cpd replaces 'cigarettes' vars in all yrs available
everydaycpda	# cigs smoked/day among every day smokers ONLY (imputed for missing)		numberperdaya	1= <10 2= 10 - <21 3= 21+ . = Missing/Not asked	298 482 31 9,361	2002-2003: everydaycpda 2003 fall: everydaycpda 2004-2007: everydaycpda 2007: 2008-2014: everydaycpda	everydaycpda is categorical version of numperdaya for EVERY DAY SMOKERS.  Only every day were asked cpd in '05; use everydaycpda for cpd trend analyses.
heavysmoker15a	Heavy smoker(>10 cig/day) (imputed for missing cigs & adjusted for days smoked)		numberperdaya	1 = Yes (>10 cigs) 2 = No (≤10 cigs) . = Missing/Not asked	297 1,027 8,848	2002: heavysmoker02a 2003: heavysmoker03a 2003fall: heavysmoker03a 2004: heavysmoker04a 2005: 2006: heavysmoker06a 2007: 2008: heavysmoker08a 2009: heavysmoker09a 2010: heavysmoker11a 2011: heavysmoker11a 2012: heavysmoker13a 2014: heavysmoker14a	Heavysmoker15a is dichotomous version of numberperdaya. See above for description. HeavysmokerYY'a '(NOT heavysmoker) should be used in multi-yr analyses.

Recoded Variable	Question	Raw	Source	Frequencies (unweig	ghted)	Prior years	NOTES
		Name	_				
smokecat	Type of smoker		everyday,	1 = Non-daily	512	2002-2004: smokecat	
			heavysmoker15a	smoker		2005:	
				2 = Light daily	517	2006: smokecat	
				smoker		2007:	
				3 = Heavy daily	295	2008-2014: smokecat	
				smoker			
				4 = Non-smoker	8,784		
				. = missing	64		
mentholcigs	Thinking about the type of	smoke123	Q7.4	1= Menthol	678	2002-2014:	New in 2015
	cigarettes you usually smoke,			cigarettes			
	are they menthol or non-			2=Non-methol	627		
	menthol?			cigarettes			
				.d= Don't know	19		
				.r= Refused	0		
				. = Missing/Not	8,848		
				asked			
agesmkcur	How old were you when you	smoke24	Q7.5	1= 1-9 yrs	12	2002:	Denominator is
	first started smoking cigarettes		(smoker)	2= 10-12 yrs	66	2003 spring: agesmkcur	persons who
	regularly? Among current			3= 13-17 yrs	495	2003:	currently smoke
	smokers			4= 18-22 yrs	470	2003 fall: agesmkcur	(smoker=2)
				5= 23+ yrs	218	2004-2007: agesmkcur	
				. = Missing/Not	8,911	2008:	
				asked		2009: agesmkcur	
						2010-2013:	
						2014: agesmkcur	
agesmk21	First started smoking under age		smoke24	1= Yes	918	2002-2014:	New in 2015
-	21 (includes current smokers			2= No	343		
	only)			. = Missing/Not	8,911		Among current
				asked			smokers

	ECOND HAND SMOKING				•	nce fall '03 must be combined w/ CHS	
Recoded Variable	Question	Raw Name	Source	Frequencies (unweig	ghted)	Prior years	NOTES
agesmkever	How old were you when you first started smoking cigarettes regularly?	smoke24	Q7.5 (smoker)	1= 1-9 yrs 2= 10-12 yrs 3= 13-17 yrs 4= 18-22 yrs 5= 23+ yrs . = Missing/Not asked	26 143 1,428 1,193 442 6,940	2002: 2003 spring: agesmkever 2003: 2003 fall: agesmkever 2004: 2005-2007: agesmkever 2008: 2009: agesmkever 2010-2013: 2014: agesmkever	Denominator is persons who ever smoked (smoke1 =1) Not available in '04 b/c question only asked of current smokers
sourcelastcig	Was the last cigarette you smoked from a carton, a pack, a single or loosie, bummed, or did you roll your own?	smoke39	Q7.6; smoker	1=Carton 2=Pack 3=Single/loosie 4=Bummed 5=Roll own .d= Don't know .r= Refused . = Missing/Not asked	133 930 170 50 36 5 0 8,848	2002: 2003: smoke39 2003 fall: smoke39 2005: smoke39 2006-10: sourcelastcig 2011: 2012-2014: sourcelastcig	Denominator is current smokers
cost20cigarettes	Cost of 20 cigarettes (pack)	smoke40, smoke41, smoke42	Q7.7a, Q7.7b, Q7.7c	\$0.10-\$40 .d= Don't know .r= Refused . = Missing/Not asked	1,136 32 2 9,002	2002: 2003-2006: cost20cigarettes 2007: 2008-2010: cost20cigarettes 2011-2012: 2013-2014: cost20cigarettes	

TOBACCO AND SI	ECOND HAND SMOKING			(Fall '03 variables reported since fall '03 must be combined w/ CHS 2003 for smoking analyses					
Recoded Variable	Question	Raw Name	Source	Frequencies (unweigh	ited)	Prior years	NOTES		
cigbuyfive	See cigpurchase		cigbuysix	1= New York City 2= In NYS, out NYC 3= Person/street 4= Indian Reserv/ Duty free/In other state/Outside US 5= Other (includes internet or mail) .u=Unk loc cig purchase .= Missing/Not	961 25 107 109 15 16 8,939	2002: cigbuysix 2003: cigbuysix 2003 fall: cigbuysix 2004-10: cigbuysix 2011: 2012-2014: cigbuysix	Cigbuyfive is collapsed version of cigbuysix  Cigbuysix has comparable location categories across all years  Denominator is persons whose last cigarette came from carton, pack or single/loosie		
taxavoid	Tax avoidance status of the cigarette purchase location		cigpurchase	asked  1=NYC tax avoidant  2=Not NYC tax avoid  3=Cannot determine .u=Unk location . = Missing/Not asked	243 961 13 16 8,939	2002: taxavoid 2003: taxavoid 2003 fall: taxavoid 2004-10: taxavoid 2011: 2012-2014: taxavoid	Denominator is persons whose last cigarette came from carton, pack or single/loosie  Includes former smokers in '02		
packdiscount	The last time you bought a SINGLE PACK of cigarettes did you receive any type of discount on the pack?	smoke112	Q7.9	1= Yes 2=No 3=[VOL] Do not buy single packs .d=Don't know .r=Refused .= Missing/ Not asked	81 1,189 35 18 1 8,848	2002-2012: 2013-2014: packdiscount			

Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
agegroup	What is your age? We	demog1,	Q8.1,	1=18-24yrs	700	2002-14: agegroup	
	are only asking this			2=25-44 yrs	3,244		
	information to make	demog128	Q8.1a	3=45-64 yrs	3,759		
	sure we have talked to			4=65+ yrs	2,447		
	enough people in each			.d=Don't know	2		
	age group. Can you just tell me if you are:			.r=Refused	20		
ngegroup5	What is your age? We	demog1,	Q8.1,	1=18-24yrs	700	2002-10:	Response option 25-29
.6.6	are only asking this	,	,	2=25-29 yrs	673	2011: agegroup5	new in 2011
	information to make	demog128	Q8.1a	3=30-44 yrs	2,571	2012: agegroup5	
	sure we have talked to	uemog120	20.12	4=45-64 yrs	3,759	2013: agegroup5	
	enough people in each			5=65+ yrs	2,447	2014: agegroup5	
	age group. Can you just			.d=Don't know	2		
	tell me if you are:			.r=Refused	20		
nge18_64	See above	See above	See above	1=18-24 yrs	700	2002-14: age18_64	
8				2=25-44 yrs	3,244		
				3=45-64 yrs	3,759		
				. =Missing/not	2,469		
				applicable	_,		
nge21up	See above	See above	See above	1= 21-44 yrs	3,693	2002-14:age21up	
				2= 45-64 yrs	3,759		
				3 = 65 + yrs	2,447		
				.= Missing/not	273		
				applicable			
ige25up	See above	See above	See above	1=25-44 yrs	3,244	2002-14: age25up	
				2=45-64 yrs	3,759		
				3=65+yrs	2,447		
				. =Missing/not	722		
				applicable			
nge40new	See above	See above	See above	1=40-44 yrs	886	2002-14: age40new	Use age40new NOT
				2=45-64 yrs	3,759		age40up for
				3=65+yrs	2,447		mammography
				. =Missing/not	3,080		screening variables
				applicable			
nge45up	See above	See above	See above	1=45-64 yrs	3,759	2002-14: age45up	
- T				2=65+ yrs	2,447		
				. =Missing/not	3,966		
				applicable	-,0		

DEMOGRAPHICS							
Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
age50up	See above	See above	See above	1=50-64 yrs 2=65+ yrs . =Missing/not applicable	2,789 2,447 4,936	2002-14: age50up	
sex	Because it is sometimes difficult to determine over the phone, I am asked to confirm with everyone. Are you male or female?	demog72	Q8.2	1=Male 2=Female .=Missing	4,077 6,094 1	2002-14: sex	Irrespective of responses to Q8.2, respondents identifying as a transgendered woman were assigned as female; those responding as a transgendered man were assigned as male.  Respondents identifying as transgendered but whose sex is unknown had sex classified as missing
newrace	Are you Hispanic or Latino? Some people, aside from being Hispanic, also consider themselves to be a member of a racial group. Which one or more of the following would you say is your race?		Q8.3, Q8.4, Q8.4a	1=White Non-Hispanic 2=Black Non-Hispanic 3=Hispanic 4=Asian/PI Non- Hispanic 5=Other Non-Hispanic	3,428 2,205 3,038 1,289 212	2002-14: newrace	Race is assigned for missing observations  **Use newrace for analyses that include race/ethnicity**

DEMOGRAPHICS	}						
Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
demog55	Please tell me which	demog55	Q8.3a	1= Puerto Rican	866	2003-2014: demog55	Available with a Data
	group best represents			2=Cuban/Cuban-	55		Use Agreement. Please
	your Hispanic or Latino			American			contact
	origin or ancestry			3=Dominican/	1,029		EpiDataRequest@health
				Dominican-American			.nyc.gov
				4=Mexican/Mexican-	290		
				Amer			
				5= Central/ South Amer	597		
				6=Other Latin Amer	49		
				7=Other Hispanic	93		
				9=[VOL] Spanish	14		
				.d=Don't know	10		
				.r=Refused	10		
			22.7	.= Missing/not asked	7,159	2002 2012	
demog135r	Please tell me which	demog135;	Q8.5	1=Chinese	866	2002-2012:	Available with a Data
	group best represents	demog135vr		2=Asian Indian	184	2013: demog135r	Use Agreement. Please
	your Asian heritage or			3=Filipino	40	2014: demog135r	contact
	ancestry			4=Korean	34		EpiDataRequest@health
				5=Japanese	17		<u>.nyc.gov</u>
				6=Vietnamese	6		
				7=Something else (specify)	71		Also see asianancestry.
				.d=Don't know	9		Note the small numbers
				.r=Refused	5		in some groups.
				.=Missing/not asked	8,940		

DEMOGRAPHICS	3						
Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
asianancestry	Please tell me which group best represents your Asian heritage or ancestry	demog135; demog135vr	Q8.5	1=East Asian 2=South Asian 3=Southeast Asian 4=Other .d=Don't know .r=Refused	925 201 59 33 9 5 8,940	2002-2012: 2013: asianancestry 2014: asianancestry	Available with a Data Use Agreement. Please contact EpiDataRequest@health.ny c.gov  If more refined groups are of interest, use demog135r and demog135vr.  Regions defined per: http://en.wikipedia.org/wiki//United Nations geoscheme  Due to the way newrace is coded, there are a few responses for asianancestry among those whose
bthregion15	Where were you born?	demog129,	Q8.6, Q8.6a,	Region frequencies not	10,081	2002: bthregion	among those whose newrace is Hispanic or other. Asianancestry is based on self-reported responses to heritage and in some cases will not be the same as respondents self-reported birth country.  Available with a Data Use
ounegion13	where were you doin:	demog136 demog136vr	Q0.0, Q0.0a,	reported due to length .d=Don't know .r=Refused	13 78	2003: bthregion 2003: bthregion 2004: bthregion04 2005: bthregion05 2006: bthregion06 2007: bthregion08 2009: bthregion09 2010: bthregion10 2011: bthregion11 2012: bthregion12 2013: bthregion13 2014: bthregion14	Agreement. Please contact EpiDataRequest@health.ny c.gov

DEMOGRAPHICS	3						
Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
countrybirth15	See bthregion15	n/a	bthregion15	Country frequencies not reported due to length .d=Don't know .r=Refused .=Missing	9,971 13 78 110	2002: countrybirth 2003: countrybirth 2004: countrybirth04 2005: countrybirth05 2006: countrybirth06 2007: countrybirth07 2008: countrybirth08 2009: countrybirth09 2010: countrybirth10 2011: countrybirth11 2012: countrybirth12 2013: countrybirth13 2014: countrybirth14	Available with a Data Use Agreement. Please contact EpiDataRequest@health.ny c.gov
bthregion2	Where were you born?	n/a	bthregion15	1=Northern Europe 2=Western Europe 3=Southern Europe 4=Eastern Europe 5=Eastern Asia 6=South Central Asia 7=South Eastern Asia 8=Western Asia 9=Eastern Africa 10=Middle Africa 11=Northern Africa 12=Southern Africa 13=Western Africa 14=Australia and New Zealand 15=Elsewhere Oceana 16=Caribbean 17=Central America 18=South America 19=Northern America - not including U.S. 20=United States d=Don't know .r=Refused	92 74 74 409 853 217 75 78 12 4 18 6 116 15 0 1,506 443 586 26 5,442 48 78	2002-2014: bthregion2	Available with a Data Use Agreement. Please contact EpiDataRequest@health.ny c.gov  Top coded from bthregion15
usborn	Where were you born? Please tell me the country	n/a	bthregion15, demog129, demog136	1=US born 2=Foreign born .d=Don't know .r=Refused	5,442 4,679 9 42	2002-14: usborn	Puerto Rico and the US Territories are classified as US born

DEMOGRAPHICS							
Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
athomelanguage15	What language do you speak most often at home?	demog144	Q8.8	1=English 2=Spanish 3=Russian 4=Chinese 5=Indian 9=Other .d=Don't know .r=Refused	6,527 1,990 302 826 23 467 25 12	2002-03: 2004: athomelanguage04 2005: athomelanguage05 2006: athomelanguage06 2007: athomelanguage07 2008: athomelanguage08 2009: athomelanguage09 2010: athomelanguage10 2011: athomelanguage11 2012: athomelanguage11 2013: athomelanguage13 2014: athomelanguage14 2014: athomelanguage15	Response options differ over time; use caution when combining or comparing years  No verbatims asked in 2006-2015
maritalstatus15	Are you: Married, Divorced, Widowed, Separated, Never married, OR A member of an unmarried couple living together?	demog145	Q8.10	1=Married 2=Divorced 3=Widowed 4=Separated 5=Never married 6=Member of unmarried couple living together or partnered .d=Don't know .r=Refused	3,925 1,209 919 641 2,775 610	2002: maritalstatus 2003: maritalstatus 2004: maritalstatus 2005: maritalstatus 2006: maritalstatus 2007: maritalstatus07 2008: maritalstatus08 2009: maritalstatus09 2010: maritalstatus11 2011: maritalstatus11 2012: maritalstatus12 2013: maritalstatus13 2014: maritalstatus14	Starting in 2007 added to demog114=6, "member of unmarried couple LIVING TOGETHER"

DEMOGRAPHICS							
Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
sexualid15	Now I'll read a list of terms people sometimes use to describe themselves — gay or lesbian; straight, that is not gay; bisexual; something else As I read the list again, please stop me when I get to the term that best describes how you think of yourself:  Do you not understand the words, are you not sure yet, or do you mean something else?  What do you mean by something else?	demog146 demog147 demog148 demog148v	Q8.11a Q8.11b	1=Gay/Lesbian 2=Straight, that is not Gay/Lesbian 3=Bisexual 4=Something else .d=Don't know .r=Refused .=Missing	315 9,292 123 28 199 143 72	2002: 2003-14: sexualid	Question wording differs in CHS 2003. Use caution when comparing to later years  Response options changed in 2015.

Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
genderid	Some people do not identify with the sex they were assigned at birth and think of themselves as transgender or identify in another way. For example: a person who is born male may feel female and live as a woman. Do you consider yourself to be transgender or have an identity different than your sex at birth?  Do you not understand the question, are you exploring your gender identity and are not sure how you consider yourself yet, or do you mean something else?  Are you a transgender woman, a transgender man, or do you have a different gender identify your gender?	demog149- demog152	Q8.12 Q8.12a Q8.12b Q8.12c	1=Man 2=Woman 3=Transgender Man 4=Transgender Woman 5=Other gender identity .d=don't know .r=Refused .=missing/not asked	4,025 6,027 3 14 7 5 1 90	2002-2014:	Available with a Data Use Agreement. Please contact EpiDataRequest@health.ny c.gov  New in 2015
education	What is the highest grade or year of school you completed?	demog17	Q8.13	1=Less than HS 2=High school grad 3=Some college 4=College graduate .d=Don't know .r=Refused	1,740 2,273 2,067 4,037 35 20	2002-14: education	demog17 contains more detailed education categories

Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
demog17	What is the highest grade or year of school you completed? (detailed options)		Q8.13	1=Never attended/kindergarten 2=Grades 1- 8 3=Grades 9-11 4=Grade 12 or GED 5=College 1 to 3 yrs 6= College 4 yrs or more d=Don't know r=Refused	55 835 850 2,273 2,067 4,037 35 20	2002-14: demog17	NOTES
child	Presence of children in household		children15	1=Yes 2=No .d=Don't know .r=Refused	3,695 6,445 10 22	2002-14: child	Top coded from children15
numadults2	Total adults in household		numadults	1 2 3 4 5 6 7+	3,857 3,228 966 424 132 38 20	2002-14: numadults2	Available with a Data Use Agreement. Please contact EpiDataRequest@health.ny c.gov
hhsize	Total household adults plus children		numadults, demog118	1 2 3 4 5 6 7+	2,746 2,605 1,661 1,583 811 398 368	2002-14: hhsize	Top coded from householdsize15
employment15	Are you currently: Employed for wages or salary, Self-employed, unemployed for 1 year or more, unemployed for less than 1 year, A Homemaker, A Student, Retired, Unable to work?	demog119	Q8.15	1=Employed for wages/salary 2=Self-employed 3=Unempl for 1+yrs 4=Unempl for <1 yr 5=Homemaker 6=Student 7=Retired 8=Unable to work .d=Don't know .r=Refused	4,953 826 311 334 566 333 1,980 808 36 25	2002-04: employment 2005: employment05 2006: employment06 2007: employment07 2008: employment08 2009: employment09 2010: employment10 2011: employment11 2012: employment12 2013: employment13 2014: employment14	The response order for Q8.13 differs from the order of responses in formatted frequencies. Employment12 was renumbered so that response options would be consistent with order in prior years

DEMOGRAPHICS							
Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
emp3	Employment status – three categories	demog119	Q8.15	1=Employed 2=Unemployed 3=Not in labor force .d=Don't know .r=Refused	5,779 645 3,687 36 25	2002-2014: emp3	
imputed_ povertygroup	Household annual income from all sources; imputed for those with missing data for povertygroup	Q8_16_12, demog68	Q8.16, Q8.16a,	1= <100% FPL 2=100 - <200% FPL 3=200 - <400% FPL 4=400 - <600% FPL 5= ≥600% FPL	2,786 2,211 1,887 1,535 1,753	2002-12: 2013: imputed_povertygroup 2014: imputed_povertygroup	Household income was imputed for those with missing data, or who responded 'Don't know' or 'refused' to Q8.14 and Q8.14a.  FLAG_IMPUTED_PO VERTYGROUP indicates whether value was imputed for a given observation  If newpovgrps was used to compare income in '02/'03, to later years use imputed_povertygroup instead  **For use as a covariate, e.g., for analyses comparing estimates between two HH income groups, and not for estimates of the prevalence of

DEMOGRAPHICS							
Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
imputed_pov200	Household annual income from all sources <200% FPL; imputed for those with missing data for pov200		Q8.16, Q8.16a	1= <200% FPL 2= ≥200% FPL	4,997 5,175	2002-2012: 2013: imputed_pov200 2014: imputed_pov200	Household income was imputed for those with missing data, or who responded 'Don't know' or 'refused' to Q8.14 and Q8.14a
							FLAG_IMPUTED_PO V200 indicates whether value was imputed for a given observation
							Not a collapse of imputed_povertygroup **For use as a covariate, e.g., for analyses comparing estimates between two HH income groups, and not for estimates of the prevalence of the income groups themselves
imputed_ povgroup3	3-category household annual income from all sources		imputed_ povertygroup7	1=<200% FPL 2=200 - 399% FPL 3=≥400% FPL	4,997 1,887 3,288	2002-2012: 2013: imputed_povgroup3 2014: imputed_povgroup3	Household income was imputed for those with missing data, or who responded 'Don't know' or 'refused' to Q8.14 and Q8.14a  FLAG_IMPUTED_PO VGROUP3 indicates whether a value was imputed for a given
							**For use as a covariate, e.g., for analyses comparing estimates between two HH income groups, and not for estimates of the prevalence of the income groups themselves

DEMOGRAPHICS							
Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
bmi	About how tall are you without shoes? About how much do you weigh without shoes?	demog120, demog127;	Q8.17; Q8.18	4.70-81.88 kg/in <sup>2</sup> . = Missing	9,690 482	2002-14: bmi	Body Mass Index (BMI) based on self-reported height and weight.
weight15in4	See bmi		weightin4; probableweig ht15; demog48; demog131	1= Under: bmi<18.5 2=Normal: 18.5\(\section\) bmi<25 3=Overwt: 25\(\section\) bmi<30 4=Obese: 30\(\section\) bmi<100 .=Missing	292 3,681 3,470 2,513 216	2002- 2004: 2005: weight05in4 2006: weight06in4 2007: weight07in4 2008: weight08in4 2009: weight09in4 2010: weight10in4 2011: weight11in4 2012: weight12in4 2013: weight13in4 2014: weight14in4	Includes responses to follow up questions on wt, ht
weight15in5	See bmi		weightin4; probableweig ht15	1= Under: <18.5 2=Normal: 18.5\( \lefta \) bmi<25 3=Overwt: 25\( \lefta \) bmi<30 4=Obese:30\( \lefta \) bmi<35 5=Very obese: 35\( \lefta \) bmi<100 .=Missing	292 3,681 3,470 1,603 896	2002-10: 2011: weight11in5 2012: weight12in5 2013: weight13in5 2014: weight14in5	Added very obese.  Includes responses to follow up questions on wt, ht
weightall	See bmi		weightin3; probableweig ht15; demog48-51; demog100- 103; demog36-39; demog131; demog133	1=Und/norm: bmi<25 2=Overwt: 25 2=Overwt: 25 3=Obese: 30 .=Missing	3,977 3,470 2,526 199	2002-14: weightall	**Weightall should be used for analyses using 3-category weight ** Include responses to follow up questions on wt, ht

Recoded Variable	Question	Raw Name	Source	Frequencies (unweighte	<b>d</b> )	Prior years	NOTES
uhf34	34 United Hospital Fund neighborhoods – few neighborhoods are combined due to the survey design categorized 1 to 34		uhf	1-34 . = Missing	10,134 38	2002: uhf33* 2003-14 uhf34	Available with a Data Use Agreement. Please contact EpiDataRequest@health.nyc.gov  *UHF34 not available in CHS 2002 (uhf33 available) UHFs were not assigned to cell respondents when information was missing.
borough	34Borough of residence based on uhf assignment		uhf42; respbo ro	1=Bronx 2=Brooklyn 3=Manhattan 4=Queens 5=Staten Island	1,929 3,080 2059 2,564 540	2002-14: borough	Available with a Data Use Agreement. Please contact EpiDataRequest@health.nyc.gov  Borough is based first on responses from UHF (from orgzip or qzip1). For cell respondents with missing UHF, self-reported borough is used. NOTE there are some cases where borough based on UHF does not match self-reported borough
dphonew06	District Public Health Offices in New York City		uhf	1=South Bronx 2=East/Cen Harlem 3=North/Cen Bklyn 4=All other areas .=Missing	822 431 860 8,021 38	2002: 2003: 2004: 2005: 2006-14: dphonew06	Available with a Data Use Agreement. Please contact EpiDataRequest@health.nyc.gov
neighpovgroup4_ 1014	Neighborhood poverty; percent of zip code population living below 100% FPL per American Community Survey, 2010-2014		fixzip	1= 0 - <10% (low pov) 2=10 - <20% 3=20 - <30% 4=30 - <100% (very hi) .= Missing	1,669 3,365 2,505 2,392 241	2002-04: neighpovgroup4_2000 2005-09: neighpovgroup4_0711 2010: neighpovgroup4_0711 2011-2012: neighpovgroup4_0711 2013: neighpovgroup4_0812 2014: neighpovgroup4_0913	Standard Agency area-based poverty measure, based on % of population in respondent's zip code living below 100% FPL per American Community Survey 2010-2014 Updated definition where zip codes with zero poverty denominator are set to missing.

IMMUNIZATIONS							
Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)	)	Prior years	NOTES
fluvaccineshot	During the past 12 months, have you had a flu shot in your arm or a flu vaccine that was sprayed in your nose?	immuniz10	Q12.1		4,907 5,206 54 5	2002-2005: flushot 2006-2014: fluvaccineshot	Question wording changed over time
fluvaccineshot1415	Did you have a flu shot in your arm or a flu vaccine that was sprayed in your nose during last year's flu season, between the dates of September 1, 2014, and March 31, 2015?	immuniz10, immuniz26	Q12.2; Q12.1	1=Yes 2=No .d=Don't know .r=Refused	4,285 5,622 259 6	2002-2005: 2006: fluvaccineshot0506 2007: fluvaccineshot0607 2008: fluvaccineshot0708 2009: fluvaccineshot0809 2010: fluvaccineshot0910 2011:fluvaccineshot1011 2012:fluvaccineshot1112 2013: fluvaccineshot1213 2014: fluvaccineshot1314	Question wording changed over time

CANCER SCREEN	ING						
Recoded Variable	Question	Raw Name	Source	Frequencies (unweighte	<b>d</b> )	Prior years	NOTES
evercolon15	Colonoscopy is an exam in which a tube is inserted in the rectum to view the bowel for signs of cancer or other health problems. Have you ever had a colonoscopy?	sigmoid7	Q13.1; age50up	1=Yes 2=No .d=Don't know .r=Refused .=Missing/Not asked	3,870 1,346 18 2 4936	2002: 2003: evercolon03 2004: evercolon04 2005: evercolon05 2006: evercolon06 2007: evercolon07 2008: evercolon08 2009: evercolon09 2010: evercolon10 2011: evercolon11 2012: evercolon12 2013: evercolon13 2014: evercolon14	Denominator is adults 50+ yrs  Question wording modified from '03; using caution when comparing '03 vs. '08  Age-adjustment weight: age50up
colonoscopy10yr15	When was your most recent colonoscopy performed?	sigmoid11	Q13.2; sigmoid7; age50up	1=Less than10 yrs ago 2=Never or ≥10yr .d=Don't know .r=Refused . = Missing/Not asked	3,649 1,524 60 3 4,936	2002: colonoscopy10yr 2003: colonoscopy10yr 2004: colonoscopy10yr 2005: colonoscopy10yr05i 2006: colonoscopy10yr07 2007: colonoscopy10yr07 2008: colonoscopy10yr08 2009: colonoscopy10yr09 2010: colonoscopy10yr10 2011: colonoscopy10yr11 2012: colonoscopy10yr11 2013: colonoscopy10yr13 2014: colonoscopy10yr14	Denominator is persons 50+ yrs Age-adjustment weight: age50up
evercolon15_45	See evercolon15	sigmoid7	demog1; sigmoid7; age45up	1=Yes 2=No .d=Don't know .r=Refused . = Missing/Not asked	4,180 1,999 22 5 3,966	2002-2006: 2007: evercolon07_45 2008: evercolon08_45 2009: evercolon09_45 2010: evercolon10_45 2011: evercolon11_45 2012: evercolon12_45 2013: evercolon13_45 2014: evercolon14_45	Denominator is persons 45+ yrs Age-adjustment weight: age45up
colonoscopy10yr_45	See colonoscopy10yr14	sigmoid11	demog1 sigmoid7; age45up	1=≤10 yrs ago 2=Never or >10yrs .d=Don't know .r= Refused . = Missing/Not asked	3,940 2,194 65 7 3,966	2002-2006: 2007-2014: colonoscopy10yr_45	Denominator is persons 45+ yrs Age-adjustment weight: age45up

Recoded Variable	Question	Raw Name	Source	Frequency (unweighted	d)	Prior years	NOTES
hiv12months15	Have you had an HIV test in the last 12 months?	hiv18	Q14.1		3,200 6,748 213 11	2002: 2003: hiv6 2004: 2005: hiv12months05 2006: hiv12months06 2007: hiv12months07 2008: hiv12months08 2009: hiv12months09 2010: hiv12months10 2011: hiv12months11 2012: hiv12months12 2013: hiv12months13 2014: hiv12months14	Question wording differs in '05/'06 v. '07-'09
everhivtest15	Have you ever had an HIV test?	hiv19	Q14.2; hiv18		5,240 3,589 332 11	2002-04: 2005: everhivtest05 2006: 2007: everhivtest07 2008: everhivtest08 2009: everhivtest09 2010: everhivtest10 2011: everhivtest11 2012: everhivtest12 2013: everhivtest13 2014: everhivtest14	Question wording changed over time and response coding/level changed.  In 2002 and 2004 question restricted to 18-64 year olds.

SEXUAL BEHAVIO	OR						
Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted	<b>d</b> )	Prior years	NOTES
sexbehav_active15	Sexual behavior, past 12 months	sex21, sex32 sex40, sex43	Q15.1f, Q15.3f, Q15.1m, Q15.2m	1=Homosexual 2=Bisexual 3=Heterosexual 4=Incomplete info . =Missing/Not sexually active	253 60 5,597 38 4,224	2002: 2003: sexbehav_active 2004: sexbehav_active 2005: sexbehav_active 2006: sexbehav_active 2007: sexbehav_active 2008: sexbehav_active08 2009: sexbehav_active09 2010: sexbehav_active10 2011: sexbehav_active11 2012: sexbehav_active12 2013: sexbehav_active13 2014: sexbehav_active14	Denominator is all sexually active
sexuallyactive15	Sexually active in past 12 months		sexbehav_acti ve15	1=Yes 2=No .=Missing	5,948 3,265 959	2002: 2003: sexuallyactive 2004: sexuallyactive 2005: sexuallyactive 2006: sexuallyactive06 2007: sexuallyactive07 2008: sexuallyactive08 2009: sexuallyactive09 2010: sexuallyactive10 2011: sexuallyactive11 2012: sexuallyactive12 2013: sexuallyactive13 2014: sexuallyactive14	Question wording modified across years  In 2002 question restricted to 18-64yrs
sexpartner	Number of male and female sex partners in the past 12 months		sex21, sex43, sex32, sex40	1=None 2=One 3=Two 4=Three or more . =Missing	3,265 5,005 390 553 959	2002: 2003-2014: sexpartner	Question wording modified across years  In 2002 question restricted to 18-64yrs
wsw	Women who have sex with women, past 12 months	sex32	Q15.3f demog72	1=Yes 2=No . =Missing/Not asked	106 3,006 7,060	2002: 2003-2014: wsw	WSW: denominator is sexually active women In 2002 question restricted to 18- 64yrs

SEXUAL BEHAVIO	OR						
Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted	l)	Prior years	NOTES
wswexclusive	women, exclusively in past 12 months	sex32, sex21	Q15.3f, Q15.1f, demog72	1=Yes 2=No . =Missing/Not asked	67 3,064 7,041	2002: 2003-2014: wswexclusive	Denominator is sexually active women In 2002 question restricted to 18- 64yrs
msm	Men who have sex with men, past 12 months	sex43	Q15.2m demog72	1=Yes 2=No . =Missing/Not asked	211 2,591 7,370	2002: 2003-2014: msm	MSM: denominator is sexually active men In 2002 question restricted to 18-64yrs
msmexclusive	Men who have sex with men, exclusively in past 12 months	sex43, sex40	Q15.2m, Q15.1m demog72	1=Yes 2=No . =Missing/Not asked	186 2,627 7,359	2002: 2003-2014: msmexclusive	Question wording modified across years Denominator is sexually active men In 2002 question restricted to 18-64yrs
condom15	The last time you had sex, did you use a condom? Among all sexually active	sex60, sex44, sex45, sex46	Q15.2f Q15.3m, Q15.4m, Q15.5m	1=Yes 2=No .d=Don't know .r=Refused .=Missing/Not asked	1,750 4,065 16 48 4,293	2002: 2003: condom03 2004: condomNOToral 2005: condom05 2006: condom06 2007: 2008: condom08 2009: condom09 2010: condom10 2011: condom11 2012: condom12 2013: condom13 2014: condom14	Among those sexually active in last 12 months In 2007 condom use question was not asked of MSM exclusive so condomuse07 not directly comparable to any other years In 2002 question restricted to 18-64yrs

SEXUAL BEHAVIO	OR						
Recoded Variable	Question	Raw Name	Source	Frequencies (unweight	ted)	Prior years	NOTES
condomusetrend	The last time you had sex,		sex60,	1=Yes	1,576	2002-2014:	Denominator is
	did you use a condom?		sex45, sex46,	2=No	3,370	condomusetrend	persons 18-64 yrs
	Among sexually active 18-		sex44;	.d=Don't know	14		who had sex with
	64 year olds who had sex		msmexclusive,	.r=Refused	39		$\geq 1$ partner of
	with 1 or more partners of		wswexclusive	. =Missing/Not asked	5,173		opposite sex in past
	opposite sex in past 12						12 months
	months						
analsex	In the past 12 months,	sex61,	Q15.4f, sex21;	1=Yes	481	2002-2006:	Denominator is
	have you had anal sex?	sex68	Q15.6m,	2=No	5,302	2007: analsex	WSM and MSWM
			sex40, sex43	.d=Don't know	35	2008:	
				.r=Refused	61	2009-2014: analsex	
				. =Missing/Not asked	4,293		
analsexcondomuse15	In the past 12 months,	sex92,	Q15.5f	1=Yes	209	2002-2014:	Denominator is
	when you have had anal	sex93	(sex92),	2=No	266		those report anal
	sex have you or your		Q15.7m	.d=Don't know	6		sex
	partner used a condom?		(sex93)	.r=Refused	0		
				. =Missing/Not asked	9,691		Response options changed

ALCOHOL							
Recoded Variable	Question	Raw Name	Source	Frequencies (unwe	eighted)	Prior years	NOTES
drinker	Consumed at least one alcohol drink in past 30 days	drink9	Q16.1	1=Yes 2=No .d=Don't know .r=Refused	5,522 4,553 62 35	2002-05: drinker 2006: 2007-14: drinker	Values for none/ no drinks have changed over time
daysalc30	A drink of alcohol is 1 can or bottle of beer, 1 glass of wine, 1 can or bottle of wine cooler, 1 cocktail, or 1 shot of liquor. During the past 30 days, how many days per week or per month did you have at least 1 drink of any alcoholic beverage?  STANDARDIZED TO PER MONTH	drink9	Q16.1	0 – 30.1 .d=Don't know .r=Refused	10,075 62 35	2002-05: daysalc30 2006: 2007-13 daysalc30	Continuous measure standardized to days per month
averagedrink15	On the days when you drank, about how many drinks did you drink on average? Standardized to average number of drinks per day in last 30 days)	drink5	Q16.2; drink9	0 - 50 .d=Don't know .r=Refused . = Missing	10,019 50 6 97	2002-04: averagedrink 2005: averagedrink05 2006: 2007: averagedrink07 2008: averagedrink08 2009: averagedrink10 2011: averagedrink11 2012: averagedrink12 2013: averagedrink13 2014: averagedrink14	
heavydrink15	Heavy drinking defined as men having >2 drinks per day or women having >1 drink per day		averagedrink15; drinker; sex	1=Yes 2=No .=Missing	491 9,526 155	2002-04: heavydrink 2005: heavydrink05 2006: 2007: heavydrink07 2008: heavydrink08 2009: heavydrink09 2010: heavydrink10 2011: heavydrink11 2012: heavydrink12 2013: heavydrink13 2014: heavydrink14	

ALCOHOL							
Recoded Variable	Question	Raw Name	Source	Frequencies (unwe	ighted)	Prior years	NOTES
bingenew	During the past 30 days had [men: 5 or more drinks on one occasion ] [women: 4 or more drinks on one occasion]	drink10	Q16.3; drinker	1=Yes 2=No .d=Don't know .r=Refused	1,426 8,564 136 46	2002-2010: not comparable 2011-2013: bingenew	Change to question in 2011, among women asked 4 or more drinks on one occasion.

Recoded Variable	Question	Raw Name	Source	Frequencies (unweig	Frequencies (unweighted)		NOTES
everafraid	Have you ever been frightened for your safety or the safety of your family or friends because of the anger or threats from a current or former intimate partner?	domest6	Q17.1	1=Yes 2=No .d=Don't Know .r=Refused	496 9,622 22 32	2002-2014:	New in 2015
afraid12months	Did this happen in the past 12 months? Among those ever frightened from current/former intimate partner	domest7; domest6	Q17.1; Q17.2	1=Yes 2=No .d=Don't Know .r=Refused .=Missing	157 9,959 1 1 54	2002: afraid 2003: 2004-2006: afraid 2007: 2008: afraid 2009-2014:	Asked differently in 2015. Use caution when comparing with previous years

Recoded Variable	Question	Raw Name	Source	Frequencies (unweigh	nted)	Prior years	NOTES
nycdriver	Drove car/motor vehicle in NYC in past 30 days  Recoded based on: In the past 30 days, on how many days did you drive a car or motor vehicle in New York City?	traffic1	Q18.1	1= Yes (driver) 2=No (non-driver) .d=Don't Know .r=Refused	4220 5887 53 12	2002-2014:	New in 2015
drivefreq	Days drove car/motor vehicle in NYC in past 30 days. Among drivers only	traffic1	Q18.1	1=1-4 days 2=5-9 days 3=10-19 days 4=20-29 days 5=30 days d=Don't Know .r=Refused .=non-drivers	783 550 537 629 1721 53 12 5887	2002-2014:	New in 2015 Among drivers only
drivefreq_all	Days drove car/motor vehicle in NYC in past 30 days. Among all	traffic1	Q18.1	1=0 days 2=1-4 days 3=5-9 days 4=10-19 days 5=20-29 days 6=30 days d=Don't Know .r=Refused	5887 783 550 537 629 1721 53 12	2002-2014:	New in 2015 Among all adults
drivefreq3_all	Days drove car/motor vehicle in NYC in past 30 days – 3 levels. Among all	traffic1	Q18.1	1=0 days 2=1-29 days 3=30 days d=Don't Know .r=Refused	5887 2499 1721 53 12	2002-2014:	New in 2015 Among all adults
speedfreq	In the past 30 days, when you drove in New York City, how often did you drive 10 miles per hour or more over the posted speed limit?	traffic2	Q18.2	1=Often 2=Sometimes 3=Rarely 4=Never d=Don't Know .r=Refused .=non-drivers	509 854 1250 1564 31 12 5952	2002-2014:	New in 2015. Among drivers
everspeed	Ever drove 10MPH over the speed limit when driving in past 30 days (Among drivers only)	traffic2	Q18.2	1= Yes 2=No .d=Don't Know .r=Refused	2613 1564 31 12	2002-2014:	New in 2015 Among drivers

Recoded Variable	Question	Raw	Source	Frequencies (unweig	(hted)	Prior years	NOTES
		Name					
				.=non-drivers	5952		
messagefreq	In the past 30 days, when you	traffic3	Q18.3	1=Often	66	2002-2014:	New in 2015
	drove in New York City, how			2=Sometimes	179		
	often have you read or sent a text			3=Rarely	508		Among drivers
	message or email while you were			4=Never	3454		
	driving?			d=Don't Know	2		
				.r=Refused	11		
				.=non-drivers	5952		
evermessage	Ever read/sent a text message or	traffic3	Q18.3	1= Yes	753	2002-2014:	New in 2015
•	email when driving in past 30 days			2=No	3454		
	(Among drivers only)			.d=Don't Know	2		Among drivers
				.r=Refused	11		
				.=non-drivers	5952		

Dooded V4-1-1	On out on	Down	Comme	E	4.4)	Dudou success	NOTES	
Recoded Variable	Question	Raw Name	Source	Frequency (unweight	tea)	Prior years		
imputed_housingunits	How many living units or apartments are in your building?	housing4	Q6.1	1=1-2 2=3-4 3=5-9 4=10-19 5=20-49 6=50 or more .d=Don't know .r=Refused	2,907 1,020 688 700 1,609 2,893 336 19	2002-2004: 2005:housing4 2006-2008: 2009: housingunits 2010-2012: 2013: housingunits 2014: housingunits	Available with a Data Use Agreement. Please contact EpiDataRequest@health.n yc.gov  Hot-deck imputation was used to assign some respondents to one of the response options "20 to 49" and "50 or more". This was done for respondents who selected "20 to 49" and did not have the option of selecting "50 or more" due to an error during data collection (which was subsequently corrected). The variable "flag_imputed_housingunits" indicates the individuals for whom the "imputed_housingunits was imputed.	
delaypayrent	During the past 12 months, was there any month when you delayed paying or were not able to pay your mortgage or rent?	housing13	Q6.2	1=Yes 2=No .d=Don't know .r=Refused	1,563 8,536 56 17	2002-2008: 2009: delaypayrent 2010-2014:		
lowinchousing	Are you: a public housing resident, receive rental assistance such as Section 8, or neither	housing33	Q6.3	1=Public housing resident 2=Rental assistance 3=Neither .d=Don't know .r=Refused	1,007 928 8,061 169 7	2002-2014:	Available with a Data Use Agreement. Please contact EpiDataRequest@health.n yc.gov New in 2015	

Recoded Variable	Question	Raw Name	Source	Frequency (unweight	ghted)	Prior years	NOTES	
anypesticide	In the past 12 months, used pesticide inside home to control insects  Recoded based on: The next question is about pesticide use in your home. In the past 12 months did you or another household member use any of the following pesticides to control roaches, ants, bedbugs or other insects inside your home?	housing36-housing42	Q6.4	1= Yes 2=No .d=Don't Know .r=Refused	3684 6251 227 10	2002-2014:	New in 2015	
anybait	In the past 12 months, used bait station (roach motel) to control insects in your home	housing36- housing42	Q6.4	1= Yes 2=No .d=Don't Know .r=Refused	865 9070 227 10	2002-2014:	New in 2015	
anygel	In the past 12 months, used gel to control insects in your home	housing36- housing42	Q6.4	1= Yes 2=No .d=Don't Know .r=Refused	613 9322 227 10	2002-2014:	New in 2015	
anyspray	In the past 12 months, used spray to control insects in your home	housing36- housing42	Q6.4	1= Yes 2=No .d=Don't Know .r=Refused	2278 7657 227 10	2002-2014:	New in 2015	
anyfogger	In the past 12 months, used bomb/fogger to control insects in your home	housing36-housing42	Q6.4	1= Yes 2=No .d=Don't Know .r=Refused	321 9614 227 10	2002-2014:	New in 2015	
anyboric	In the past 12 months, used boric acid to control insects in your home	housing36- housing42	Q6.4	1= Yes 2=No .d=Don't Know .r=Refused	653 9282 227 10	2002-2014:	New in 2015	

Recoded Variable	Question	Raw Name	Source	Frequency (unweighte	ed)	Prior years	NOTES
anytempo	In the past 12 months, used Tempo to control insects in your home	housing36- housing42	Q6.4	1= Yes 2=No .d=Don't Know .r=Refused	148 9787 227 10	2002-2014:	New in 2015
anychalk	In the past 12 months, used Chinese Chalk to control insects in your home	housing36- housing42	Q6.4	1= Yes 2=No .d=Don't Know .r=Refused	213 9722 227 10	2002-2014:	New in 2015
cntrlmethod	In the past 12 months, type of product used to control insects in the home	housing36-housing42	Q6.4	1=Only bait or gel or boric acid (safer) 2=Spray/fogger (alone or with best practice) 3=Any Tempo or Chalk (most dangerous) .=did not use any product	1038 2306 340 6488	2002-2014:	New in 2015 Among those who reported anypesticide use
cntrlmethod_all	In the past 12 months, type of product used to control insects in the home. Among all	housing36-housing42	Q6.4	1=Only bait or gel or boric acid (safer) 2=Spray/fogger (alone or with best practice) 3=Any Tempo or Chalk (most dangerous) 4=No product .d=Don't know .r=Refused	1038 2306 340 6251 227 10	2002-2014:	New in 2015 Among all adults

Recoded Variable	Question	Raw	Source	Frequency (unwei	ghted)	Prior years	NOTES
numbertypes	Number of product types	Name housing36-	Q6.4	0	6251	2002-2014:	New in 2015
namoertypes	used to control insects in	housing42	20	1	2720	2002 2011.	110 W III 2015
	the home	nousing .2		2	671		Continuous/ Among all
				3	195		adults.
				4	66		addition.
				5	17		
				6	10		
				7	5		
				.d=Don't know	227		
				.r=Refused	10		
sc_uhfmean	UHF34 level social	housing43-	Q6.5 -	2.10-2.90	10,134	2002-2014:	Available with a Data Use
<u></u>	cohesion average score	housing47	Q6.9	. = missing	38	2002 201	Agreement. Please contact
	mean estimates	nousing 17	20.5	· missing	50		EpiDataRequest@health.n
	mean estimates						<u>yc.gov</u>
							New in 2015
							This is the average
							imputed_socialcohesion
							score for all of the
							respondents in the UHF
							where each respondent
							lives.
							Estimates were generated
							using MI_COUNT option
							in PROC DESCRIPT on
							individual average social
							cohesion score from 10
							multiple imputation dataset.
							dataset.
							The score was constructed
							using the same order of
							the values in the five
							social cohesion variables
							(1=Strongly agree;
							5=Strongly disagree).

Recoded Variable	Question	Raw Name	Source	Frequency (unw	reighted)	Prior years	NOTES
sc_uhfsemean	UHF34 level social cohesion average score mean estimates standard error	housing43-housing47	Q6.5 – Q6.9	0.03-0.09 . = missing	10,134 38	2002-2014:	Available with a Data Use Agreement. Please contact EpiDataRequest@health.n yc.gov  New in 2015  This is the standard error for sc_uhfmean.  Standard errors were generated using MI_COUNT option in PROC DESCRIPT on individual average social cohesion score from 10 multiple imputation dataset.
sc_uhflwmean	UHF34 level social cohesion average score mean estimates lower CI	housing43-housing47	Q6.5 – Q6.9	1.97-2.82 . = missing	10,134 38	2002-2014:	Available with a Data Use Agreement. Please contact EpiDataRequest@health.n yc.gov  New in 2015  This is the lower bound of the 95% Confidence Interval for sc_uhfmean.  Lower CIs were generated using MI_COUNT option in PROC DESCRIPT on individual average social cohesion score from 10 multiple imputation dataset.

Recoded Variable	Question	Raw	Source	Frequency (unweigh	hted)	Prior years	NOTES
1.0	THIE241 1 '1	Name	06.5	224200	10.124	2002 2014	A 111 11 D 11
sc_uhfupmean	UHF34 level social cohesion average score mean estimates upper CI	housing43- housing47	Q6.5 – Q6.9	2.24-2.98 . = missing	10,134 38	2002-2014:	Available with a Data Use Agreement. Please contact EpiDataRequest@health.n yc.gov
							New in 2015
							This is the upper bound of the 95% Confidence Interval for <i>sc_uhfmean</i> .
							Upper CIs were generated using MI_COUNT option in PROC DESCRIPT on individual average social cohesion score from 10 multiple imputation dataset.
sc_uhfflag	UHF34 level social cohesion average score reliability flag	housing43- housing47	Q6.5 – Q6.9	. = missing	10,172	2002-2014:	Available with a Data Use Agreement. Please contact EpiDataRequest@health.n yc.gov  New in 2015. No UHFs
							were flagged
imputed_socialcohesion	Imputed social cohesion variable average score	housing43-housing47	Q6.5 – Q6.9	1-5	10,172	2002-2014:	Available with a Data Use Agreement. Please contact EpiDataRequest@health.n yc.gov  New in 2015
							Continuous variable Average of 5 social cohesion score variables. The score was constructed using the same order of the values in the five social cohesion variables (1=Strongly agree; 5=Strongly disagree).

HOUSING, ENVIRONMENT, AND NOISE									
Recoded Variable	Question	Raw Name	Source	Frequency (unweighted)		Prior years	NOTES		
safeneighb2	Neighborhood is very	housing48	Q6.10	1= Yes	8,416	2002-2014:	New in 2015		
	safe or somewhat safe			2=No	1,560				
	from crime (self-reported			.d=Don't Know	182				
	perception)			.r=Refused	14				
safeneighborhood15	How safe from crime do	housing48	Q6.10	1= Very safe	3,074	2002: demog27	Response options differ		
-	you consider your			2= Somewhat safe	5,342	2003-2009:	in 2015. Use caution		
	neighborhood to be?			3= Not very safe	1,094	2010:	when comparing with		
	Would you say very safe,			4= Not at all safe	466	safeneighborhood	previous years.		
	somewhat safe, not very			.d=Don't Know	182	2011-2014:			
	safe, or not at all safe?'			.r=Refused	14				

Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)	Prior years	NOTES
survey	Survey number		BES	16 10,172	2002-2014: survey	
strata	Stratification/nesting variable for analysis		ABT/SBRI		2002-2014:strata	Strata is defined differently in 2002; 2003-2008; 2009- 2015, but this variable should be used for all years of the survey as defined in each year
cid	Unique identifier across all years of CHS		BES	continuous 10,172	2002-2014: cid	
wt16_dual	Survey weight for analysis of CHS 2015 data		ABT/SBRI	continuous 10,172	2002-2014:	